

RECOIL SPRINGS FOR SIG SAUER P320® COMPACT - ISMI RECOIL SPRING-14LBS FOR SIG SAUER P320 COMPACT

INTEGRATED SYSTEMS MANAGEMENT RECOIL SPRINGS FOR SIG SAUER P320® COMPACT Chrome silicon single recoil spring for ISMI guide rod Compatibility: Sig Sauer P320C



Attributes

- Name: ISMI RECOIL SPRING-14LBS FOR SIG SAUER P320 COMPACT
- Manufacturer: ISMI
- Product no.: 430117252
- Mfr. No.: P320C-14
- Model: P320 M18
- Pounds: 14 lbs
- Weapon type: Sig Sauer
- Delivery weight: 0.159kg
- Shipping height: 203mm
- Shipping width: 76mm
- Shipping length: 9mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for RECOIL SPRINGS FOR SIG SAUER P320® COMPACT](#)

Safety Instruction Guide for RECOIL SPRINGS FOR SIG SAUER P320® COMPACT

Introduction

Thank you for choosing the ISMI Recoil Spring for your Sig Sauer P320 Compact. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the recoil spring is compatible with your firearm model.
- Always handle your firearm safely and responsibly.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the recoil spring for signs of wear or damage.
- If you notice any irregularities, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

- Only use the recoil spring in the intended firearm model (Sig Sauer P320C).
- Avoid using the recoil spring if it has been modified or damaged.
- Do not exceed the recommended weight (14 lbs) for optimal performance.
- Use protective eyewear when handling or installing the recoil spring.
- Follow all local laws and regulations regarding firearm modifications and accessories.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools for installation (if required).

2. Installation:

- Remove the existing recoil spring by following the manufacturer's instructions for your firearm.
- Carefully insert the ISMI recoil spring into the guide rod.
- Ensure the spring is seated correctly and securely.

3. Usage:

- After installation, test the firearm in a safe environment to ensure proper function.
- Regularly check the recoil spring during routine maintenance of your firearm.

Disposal Instructions

- Dispose of the recoil spring in accordance with local regulations.
- Do not dispose of the recoil spring in regular household waste.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the ISMI Recoil Spring, please refer to the manufacturer's website or contact their support team. Ensure you have your product details ready for assistance.

By following these guidelines, you can ensure the safe and effective use of your ISMI Recoil Spring for the Sig Sauer P320 Compact. Always prioritize safety and adhere to local laws regarding firearm use and accessories.