

+4 MAGAZINE EXTENSION FOR GLOCK® 43X/48 - TYRANT CNC +4 MAGAZINE EXTENSION FOR GLOCK 43X/48 BLUE

Utilizing their magazine extension technology the Tyrant Designs Glock 43x & 48 magazine extension is the fastest and easiest installing mag extension ever! Adds 4 rounds to your factory magazine AND includes a 10% power spring. Drop your mags faster, and grab them easily with their machined inlay! Why do they install so quickly? Tyrant Designs use their retention plunger technology that allows the magazine extension to easily slide onto the bottom of your magazine! The entire install happens in 10 seconds or less and with no tools! Want to take it off? Easy, just push the plunger down and slide the magazine base plate off! Their magazine base pads are CNC machined from aerospace grade aluminum. This gives any operator the added weight needed for your base pad to drop free and fast. Their mag extensions instantly add 4 rounds to your 9mm Glock 43x/48. With an added knurl their Glock 43x & 48 mag extension is easy to grasp in any condition, making reloads faster than their competitors. As always, their products are manufactured in the USA and have a flawless finish. There is no easier and quicker way to add the much needed capacity to your Glock 43x & 48 than with their Glock magazine extension. Whether you are an avid concealed carrier, an active competitive shooter or anything in-between, their Glock 43x & 48 Magazine Extension is the solution! SPECS AND FIT Platform: Glock Designed For Models: G43X, G48 Glock Generation: Crossover Fitment Notes : Compatible with Glock 43x/48 OEM 10-round Magazines ONLY HxWxL= 1.61" x .9" x 1.5" Weight: .08 lb USPSA Measurements and Weight HxWxL= 41mm x 25.2mm x 38mm Weight= 36 Grams Assembled Height= 139.5mm Assembled Weight= 108 Grams FEATURES Purchase includes new power spring Quickest installing Magazine Extension EVER Adds 4 rounds of 9mm Added control and increased purchase Smooth chamfered edges NO TOOLS NECESSARY! Product Weight 1.3 oz

NO IMAGE
AVAILABLE

Attributes

- Name: TYRANT CNC +4 MAGAZINE EXTENSION FOR GLOCK 43X/48 BLUE
- Manufacturer: TYRANT CNC
- Product no.: 430118577
- Mfr. No.: TD-48MAGEX-B-MK1
- Model: 43X,48
- Style: Extension
- Weapon type: Glock
- Delivery weight: 0.027kg
- Shipping height: 51mm
- Shipping width: 25mm
- Shipping length: 76mm

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für die +4 Magazinverlängerung für Glock® 43X/48 TYRANT CNC](#)
- [English: Safety Instruction Guide for +4 MAGAZINE EXTENSION FOR GLOCK® 43X/48 TYRANT CNC](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per l'Estensione del Caricatore TYRANT CNC per Glock 43X/48](#)

Sicherheitshinweise für die +4 Magazinverlängerung für Glock® 43X/48 TYRANT CNC

Einführung

Herzlichen Glückwunsch zu deinem Kauf der +4 Magazinverlängerung für Glock® 43X/48 von TYRANT CNC. Diese Anleitung bietet wichtige Sicherheitshinweise, um eine sichere und effektive Nutzung des Produkts zu gewährleisten. Bitte lese alle Informationen sorgfältig durch, um mögliche Risiken zu vermeiden.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du die Magazinverlängerung nur mit den dafür vorgesehenen GlockModellen (G43X, G48) verwendest.
- Überprüfe die Magazinverlängerung regelmäßig auf Beschädigungen oder Abnutzung.
- Halte die Magazinverlängerung und die Magazine außerhalb der Reichweite von Kindern und anderen unbefugten Personen.
- Verwende die Magazinverlängerung nur in einer sicheren Umgebung und unter Berücksichtigung aller geltenden Gesetze und Vorschriften.
- Achte darauf, dass die Magazinverlängerung korrekt installiert ist, um Fehlfunktionen zu vermeiden.

Spezifische Sicherheitsvorkehrungen für die Benutzung

- Verwende die Magazinverlängerung nur mit 9mm Patronen, um sicherzustellen, dass sie ordnungsgemäß funktioniert.
- Überprüfe vor jedem Gebrauch, ob die Magazinverlängerung fest sitzt und nicht locker ist.
- Bei Anzeichen von Beschädigungen oder Funktionsstörungen, wie z.B. Schwierigkeiten beim Nachladen, solltest du die Verwendung sofort einstellen und die Magazinverlängerung überprüfen.
- Trage beim Umgang mit Waffen immer geeignete Schutzausrüstung, einschließlich Gehörschutz und Schutzbrille.

Anweisungen für Installation und Nutzung

Installation

1. **Vorbereitung:** Stelle sicher, dass das Magazin entladen ist und keine Patronen darin sind.
2. **Plunger drücken:** Drücke den Retentionsplunger nach unten.
3. **Magazinverlängerung anbringen:** Schiebe die Magazinverlängerung auf die Unterseite des Magazins, bis sie einrastet.
4. **Überprüfung:** Überprüfe, ob die Magazinverlängerung sicher sitzt und keine Bewegungen aufweist.

Nutzung

- Lade das Magazin mit 10 Schuss Patronen (plus 4 zusätzliche durch die Verlängerung).
- Achte darauf, dass du das Magazin beim Nachladen sicher und fest hältst.
- Bei Bedarf kannst du die Magazinverlängerung abnehmen, indem du den Plunger erneut drückst und die Verlängerung abziehst.

Entsorgungsanweisungen

- Entsorge die Magazinverlängerung gemäß den örtlichen Vorschriften für Metallabfälle.
- Achte darauf, dass alle Teile der Magazinverlängerung sicher entsorgt werden, um Umweltschäden zu vermeiden.

vermeiden.

Kontaktinformationen für weitere Unterstützung

Für weitere Informationen oder Unterstützung wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt erworben hast. Stelle sicher, dass du alle relevanten Informationen zu deinem Produkt bereithältst.

Bitte beachte, dass diese Sicherheitshinweise nicht alle möglichen Risiken abdecken können. Es liegt in deiner Verantwortung, verantwortungsbewusst mit deinem Produkt umzugehen und alle geltenden Gesetze und Vorschriften zu befolgen.

Safety Instruction Guide for +4 MAGAZINE EXTENSION FOR GLOCK® 43X/48 TYRANT CNC

Introduction

Thank you for choosing the +4 MAGAZINE EXTENSION FOR GLOCK® 43X/48 by Tyrant CNC. This product is designed to enhance the capacity of your Glock 43X or 48 magazines safely and effectively. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** This product is intended for use with Glock 43X and 48 models only. Ensure that it is used according to the provided instructions to avoid any hazards.
- **Enhanced Recalls:** In the event of a product recall, you will receive standardized notices and remedies for any dangerous products.
- **Online Shopping:** If purchased online, you are entitled to the same safety protections as if you bought the product in a physical store.
- **Special Consumer Focus:** This product is not suitable for children. Keep out of reach of children and vulnerable individuals.
- **EU Contact Point:** For safety inquiries, please refer to the manufacturer's contact information provided with your product.
- **Rapid Alerts:** Stay informed about any safety updates or recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Compatibility:** Use this magazine extension only with Glock 43X and 48 OEM 10round magazines. Using it with incompatible models may result in malfunction or injury.
- **Installation:** Ensure that the magazine is unloaded before installing the extension. Failure to do so may result in accidental discharge.
- **Inspection:** Regularly inspect the magazine extension for signs of wear or damage. Do not use if any part appears compromised.
- **Handling:** Always handle firearms and magazines with care. Follow standard firearm safety practices to prevent accidents.
- **Storage:** Store the magazine extension in a secure location away from children and unauthorized users.

Instructions for Installation and Usage

1. Installation:

- Ensure the magazine is empty.
- Align the magazine extension with the bottom of the magazine.
- Slide the extension onto the magazine until it clicks into place.
- Ensure that the retention plunger is engaged to secure the extension.

2. Usage:

- Load the magazine with 10 rounds of 9mm ammunition.
- Practice safe handling and storage of the magazine and firearm.
- To remove the extension, push down on the retention plunger and slide the base plate off.

3. Maintenance:

- Clean the magazine extension regularly to prevent dirt and debris buildup.
- Check the power spring for wear and replace if necessary.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the +4 MAGAZINE EXTENSION FOR GLOCK® 43X/48, please refer to the manufacturer's contact information included with your product.

By following these safety instructions, you can ensure the safe and effective use of your +4 MAGAZINE EXTENSION FOR GLOCK® 43X/48. Thank you for your attention to these important safety guidelines.

Guida alle Istruzioni di Sicurezza per l'Estensione del Caricatore TYRANT CNC per Glock 43X/48

Introduzione

Grazie per aver scelto l'estensione del caricatore TYRANT CNC per Glock 43X/48. Questo prodotto è progettato per migliorare la capacità del tuo caricatore, rendendo il ricaricamento più veloce e semplice. È importante seguire le linee guida di sicurezza per garantire un uso sicuro e corretto del prodotto.

Linee Guida Generali di Sicurezza

- Assicurati di utilizzare l'estensione del caricatore solo con caricatori OEM da 10 colpi Glock 43X/48.
- Controlla regolarmente l'estensione del caricatore per eventuali segni di usura o danni.
- Non utilizzare l'estensione del caricatore se presenta difetti visibili.
- Mantieni l'estensione del caricatore e il tuo Glock lontano dalla portata di bambini e animali.
- Segnala eventuali prodotti difettosi o incidenti alle autorità competenti.

Precauzioni di Sicurezza Specifiche per l'Uso

- Non tentare di installare o rimuovere l'estensione del caricatore mentre il caricatore è carico.
- Durante l'installazione, assicurati che il plunger sia completamente inserito per evitare malfunzionamenti.
- Non forzare mai il caricatore nell'arma; assicurati che sia installato correttamente.
- Evita di utilizzare l'estensione del caricatore in condizioni estreme (temperature molto alte o molto basse).
- Segui sempre le istruzioni del produttore per l'uso del tuo Glock.

Istruzioni per l'Installazione e l'Uso

Installazione

1. **Preparazione:** Assicurati che il caricatore sia scarico.
2. **Posizionamento:** Allinea l'estensione del caricatore con la parte inferiore del caricatore.
3. **Installazione:** Spingi l'estensione verso il basso finché non scatta in posizione. Questo dovrebbe richiedere meno di 10 secondi.
4. **Controllo:** Verifica che l'estensione sia saldamente fissata e non si muova.

Uso

- Quando si utilizza il caricatore, assicurati di avere una buona presa sull'estensione per facilitare il ricaricamento.
- In caso di malfunzionamenti, rimuovi l'estensione seguendo le istruzioni di rimozione.

Istruzioni per lo Smaltimento

- Non smaltire il prodotto nell'ambiente. Segui le normative locali per lo smaltimento di prodotti in alluminio e plastica.
- Contatta il tuo comune per informazioni sul corretto smaltimento dei rifiuti.

Informazioni di Contatto per Ulteriori Supporto

Per ulteriori informazioni sulla sicurezza del prodotto, consulta il sito web ufficiale del produttore o contatta il rivenditore presso cui hai acquistato il prodotto.

Questa guida è progettata per aiutarti a utilizzare l'estensione del caricatore TYRANT CNC in modo sicuro e responsabile. Segui queste istruzioni per garantire un'esperienza positiva e sicura.