

DEADLOCK CHARGING HANDLE PATROL FOR AR-308/SR25 - SENTRY MANUFACTURING DEADLOCK CHARGING HANDLE PATROL FOR AR-308/SR25 FDE

SENTRY MANUFACTURING DEADLOCK CHARGING HANDLE PATROL FOR AR-308/SR25 The Sentry Manufacturing DEADLOCK Charging Handle for the AR-308/SR25 platform brings the company's proven DEADLOCK technology to larger-frame rifles, delivering enhanced reliability, durability, and shooter performance. Designed specifically for AR-308 and SR25-pattern firearms, it provides the same innovative features trusted by professional users while accommodating the increased demands of the platform. At the heart of the design is patent-pending dual-locking technology, which helps prevent inadvertent charging handle movement caused by equipment snags or accidental contact. By reducing the likelihood of unintended movement, the system helps minimize the potential for weapon malfunctions and improves operational confidence in demanding environments. The charging handle's independent dual-latch architecture allows continued operation even if one wing becomes damaged. This design also provides balanced actuation forces, ensuring smooth, consistent manipulation from either side and enhancing overall user control. Advanced gas-management technology is incorporated through a patented hard-stop gas key channel and full upper-receiver encompassing high-shelf geometry. Together, these features significantly reduce gas blowback to the shooter, improving comfort and reducing distractions during firing. Aggressive texturing on both the operating wings and activation buttons provides a secure, positive grip under adverse conditions. Whether wearing gloves or operating in wet, muddy, or otherwise challenging environments, users can confidently manipulate the charging handle when needed. Strength is further enhanced through a reinforced angled gusset at the gas key contact interface. This design delivers approximately 30% greater structural strength than conventional charging handle designs, helping it withstand the rigors of heavy-duty use and repeated cycling. Precision-machined from 7075-T6 aircraft-grade aluminum and finished with MIL-SPEC Type III hard-coat anodizing, the DEADLOCK Charging Handle offers exceptional resistance to wear, corrosion, and harsh environmental conditions while maintaining a long service life. Each DEADLOCK AR-308/SR25 Charging Handle includes a button override pin, allowing users to convert the system to traditional charging handle operation if desired. It also incorporates U.S.-manufactured extreme-duty hardware throughout, ensuring dependable performance and long-term durability.

FEATURES Patented DEADLOCK dual locking system that eliminates snags from causing unwanted weapon charging or malfunctions Truly ambidextrous wing design with independent latch engagement; allowing the charging handle to continue normal operation with either wing missing. This design also provides equal wing tension for smoother operation Aggressive wing and button texturing provide a secure grip in even the harshest environments Angled gusset at gas key contact point proves 30% greater strength than standard charging handles, resulting in less failures during hard use All handles ship with a button override pin, allowing the button to be pinned forward and DEADLOCK to be used as a traditional charging handle Patented shortened hard stop gas key channel and complete upper encompassing high shelf design for unparalleled gas blowback mitigation ALL parts are precision milled from aircraft grade 7075 aluminum and type III hard anodized for longevity and corrosion resistance Extreme duty, US made hardware



Attributes

- Name: SENTRY MANUFACTURING DEADLOCK CHARGING HANDLE PATROL FOR AR-308/SR25 FDE
- Manufacturer: SENTRY MANUFACTURING
- Product no.: 430119824
- Mfr. No.: 2002-000-DE
- Finish: Flat Dark Earth
- Hand: Ambidextrous
- Material: Aluminum 7075-T6
- Model: SR-25
- Weapon type: AR .308,Knights Armament
- Delivery weight: 0.227kg
- Shipping height: 203mm
- Shipping width: 76mm
- Shipping length: 76mm
- UPC: 669185436891

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [Deutsch: Sicherheitshinweise für den DEADLOCK Charging Handle Patrol für AR308/SR25](#)
- [English: Safety Instruction Guide for Sentry Manufacturing DEADLOCK Charging Handle Patrol for AR308/SR25](#)
- [Italiano: Guida alle Istruzioni di Sicurezza per la Maniglia di Carica DEADLOCK PATROL per AR308/SR25](#)

Sicherheitshinweise für den DEADLOCK Charging Handle Patrol für AR308/SR25

Einleitung

Herzlichen Glückwunsch zu deinem Kauf des DEADLOCK Charging Handle Patrol für AR308/SR25 von SENTRY MANUFACTURING! Dieses Produkt wurde entwickelt, um die Zuverlässigkeit und Leistung deiner Waffe zu verbessern. Um die Sicherheit bei der Verwendung zu gewährleisten, befolge bitte die folgenden Sicherheitshinweise und Anweisungen.

Allgemeine Sicherheitsrichtlinien

- Stelle sicher, dass du die Bedienungsanleitung sorgfältig liest, bevor du das Produkt benutzt.
- Verwende das Produkt nur für den vorgesehenen Zweck.
- Halte das Charging Handle und die Waffe stets von Kindern und unbefugten Personen fern.
- Überprüfe regelmäßig das Charging Handle auf Beschädigungen oder Abnutzung.
- Melde unsichere Produkte oder Vorfälle den zuständigen Behörden.
- Informiere dich regelmäßig über Rückrufaktionen auf der EU Safety GatePlattform.

Spezifische Sicherheitsvorkehrungen für die Verwendung

- Verwende das Charging Handle nur mit AR308 und SR25Musterfeuerwaffen.
- Achte darauf, dass das Charging Handle vollständig und korrekt installiert ist, bevor du die Waffe benutzt.
- Betätige das Charging Handle mit beiden Händen, um eine stabile Kontrolle zu gewährleisten.
- Vermeide es, das Charging Handle unter extremen Bedingungen zu verwenden, wenn es Anzeichen von Beschädigung aufweist.
- Achte darauf, dass keine Fremdkörper in den Mechanismus des Charging Handles gelangen.

Anweisungen für Installation und Verwendung

Installation

1. **Vorbereitung:** Stelle sicher, dass die Waffe entladen ist und sich in einem sicheren Zustand befindet.
2. **Entfernen des alten Charging Handles:** Entferne das vorhandene Charging Handle gemäß den Herstelleranweisungen.
3. **Einsetzen des neuen Charging Handles:**
 - Setze das DEADLOCK Charging Handle in die entsprechende Öffnung ein.
 - Stelle sicher, dass es korrekt sitzt und die DualLockingTechnologie ordnungsgemäß funktioniert.
4. **Überprüfung:** Überprüfe die Installation, indem du das Charging Handle betätigst und sicherstellst, dass es reibungslos funktioniert.

Verwendung

- Betätige das Charging Handle mit einer gleichmäßigen Bewegung, um die Waffe zu laden oder zu entladen.
- Achte darauf, dass du das Charging Handle nicht übermäßig belastest.
- Bei Problemen oder ungewöhnlichen Geräuschen während der Verwendung, stoppe die Nutzung sofort und überprüfe das Charging Handle.

Entsorgungsanweisungen

- Entsorge das Produkt gemäß den örtlichen Vorschriften für die Entsorgung von Metall und Aluminiumprodukten.

- Stelle sicher, dass alle Teile des Charging Handles sicher verpackt sind, um Verletzungen während der Entsorgung zu vermeiden.

Kontaktinformationen für weitere Unterstützung

Für Fragen oder Unterstützung zu deinem DEADLOCK Charging Handle Patrol, wende dich bitte an den Hersteller oder den Händler, bei dem du das Produkt erworben hast. Sie stehen dir für alle Sicherheitshinweise und technischen Fragen zur Verfügung.

Bitte beachte, dass die Einhaltung dieser Sicherheitshinweise entscheidend für die sichere Verwendung des DEADLOCK Charging Handle Patrol ist. Deine Sicherheit und die Sicherheit anderer stehen an erster Stelle.

Safety Instruction Guide for Sentry Manufacturing DEADLOCK Charging Handle Patrol for AR308/SR25

Introduction

Thank you for choosing the Sentry Manufacturing DEADLOCK Charging Handle Patrol for AR308/SR25. This product is designed to enhance the performance and reliability of your firearm. To ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR), please carefully read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Always treat your firearm as if it is loaded, even if you believe it to be unloaded.
- Ensure that you are familiar with the operation of your firearm and the charging handle before use.
- Use the charging handle only with compatible firearms (AR308/SR25).
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the charging handle for any signs of wear or damage before use.
- If you notice any defects or abnormalities, do not use the charging handle and consult a qualified gunsmith.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and hearing protection when operating your firearm.
- Ensure that the area around you is clear of obstructions and that you have a safe backdrop for shooting.
- Avoid using the charging handle in conditions that may hinder its operation, such as extreme wetness or mud.
- Be mindful of the charging handle's duallocking mechanism to prevent inadvertent movement during operation.
- Do not attempt to modify the charging handle in any way, as this may compromise its safety and functionality.
- If the charging handle becomes jammed or stuck, do not force it. Instead, follow the proper unjamming procedures outlined in your firearm's manual.

Instructions for Installation and Usage

Installation

1. Ensure your firearm is unloaded and pointed in a safe direction.
2. Remove the existing charging handle from your AR308/SR25 by following the manufacturer's instructions.
3. Align the Sentry Manufacturing DEADLOCK Charging Handle with the receiver.
4. Insert the charging handle into the upper receiver, ensuring it is properly seated.
5. Confirm that the duallatching mechanism is engaged by pulling the charging handle back slightly.
6. Test the operation of the charging handle to ensure smooth movement before use.

Usage

- To operate the charging handle, grip the operating wings firmly.
- Pull the charging handle to the rear to chamber a round or clear the chamber.
- Release the charging handle smoothly to allow it to return to its original position.
- If using gloves or in adverse conditions, ensure a secure grip on the charging handle to prevent slippage.
- In the event of a malfunction, refer to your firearm's manual for troubleshooting steps.

Disposal Instructions

- When the charging handle reaches the end of its service life or is no longer needed, dispose of it in accordance with local regulations.
- Do not dispose of the charging handle in regular household waste.
- Check with local authorities for proper disposal methods for metal components.

Contact Information for Further Support

For additional information or support regarding the Sentry Manufacturing DEADLOCK Charging Handle Patrol for AR308/SR25, please consult the manufacturer's website or contact a qualified gunsmith.

Conclusion

By following the safety guidelines and instructions provided in this manual, you can ensure the safe and effective use of the Sentry Manufacturing DEADLOCK Charging Handle. Always prioritize safety and remain informed about best practices for firearm handling and maintenance.

Guida alle Istruzioni di Sicurezza per la Maniglia di Carica DEADLOCK PATROL per AR308/SR25

Introduzione

Grazie per aver scelto la Maniglia di Carica DEADLOCK PATROL per AR308/SR25 di SENTRY MANUFACTURING. Questo prodotto è progettato per migliorare l'affidabilità e le prestazioni del tuo fucile. È fondamentale seguire le linee guida di sicurezza per garantire un utilizzo sicuro e responsabile.

Linee Guida Generali di Sicurezza

- Utilizzare sempre il prodotto in conformità con le istruzioni fornite.
- Verificare che il fucile sia scarico prima di installare o maneggiare la maniglia di carica.
- Non utilizzare il prodotto se presenta segni di danno o usura.
- Tenere il prodotto lontano dalla portata di bambini e gruppi vulnerabili.
- Segnalare eventuali prodotti difettosi o incidenti alle autorità competenti.
- Controllare regolarmente gli aggiornamenti sui richiami tramite la piattaforma Safety Gate dell'UE.

Precauzioni di Sicurezza Specifiche per l'Uso

- Assicurarsi che la maniglia di carica sia installata correttamente prima di ogni utilizzo.
- Indossare guanti protettivi se si utilizza il prodotto in condizioni avverse, come fango o umidità.
- Evitare di forzare la maniglia durante l'uso; in caso di inceppamenti, seguire le procedure di risoluzione dei problemi.
- Non utilizzare la maniglia di carica se non si è sicuri delle proprie capacità di maneggio delle armi.
- Utilizzare il prodotto solo con fucili compatibili, come indicato nel manuale.

Istruzioni per l'Installazione e l'Uso

1. Installazione della Maniglia di Carica:

- Assicurarsi che il fucile sia completamente scarico.
- Rimuovere la maniglia di carica esistente, se presente.
- Allineare la maniglia di carica DEADLOCK PATROL con il canale della chiave del gas del fucile.
- Inserire la maniglia e assicurarsi che sia ben fissata.
- Verificare il corretto funzionamento della maniglia prima di utilizzare il fucile.

2. Uso della Maniglia di Carica:

- Utilizzare la maniglia per caricare il fucile in modo fluido e controllato.
- In caso di inceppamenti, non forzare la maniglia; seguire le procedure di risoluzione dei problemi.
- Pulire regolarmente la maniglia per garantire prestazioni ottimali.

Istruzioni per lo Smaltimento

- Smaltire il prodotto in conformità con le normative locali riguardanti i rifiuti di metallo e materiali compositi.
- Non gettare il prodotto nell'ambiente; utilizzare i punti di raccolta autorizzati per i materiali pericolosi.

Informazioni di Contatto per Ulteriori Supporto

Per qualsiasi domanda o richiesta di supporto, si prega di contattare il proprio rivenditore o il servizio clienti di

SENTRY MANUFACTURING.

Seguendo queste istruzioni di sicurezza, puoi garantire un uso sicuro e responsabile della Maniglia di Carica DEADLOCK PATROL per AR308/SR25. Grazie per la tua attenzione e buon utilizzo!